





Color laser repeat-defect set, page 1 of 4

printertestpagelab.com

Print at 100% (Actual size) with headers and footers turned off.

/laser-printer-streaks/ · US Letter



Scale check

Measure both rulers. If they read 100 mm and 4 in, the page printed at true size. Each corner cross should sit 10 mm from both edges. A missing cross means cropping.







Color laser repeat-defect set, page 2 of 4

printertestpagelab.com

Print at 100% (Actual size) with headers and footers turned off.

/laser-printer-streaks/ · US Letter



Scale check

Measure both rulers. If they read 100 mm and 4 in, the page printed at true size. Each corner cross should sit 10 mm from both edges. A missing cross means cropping.







Color laser repeat-defect set, page 3 of 4

printertestpagelab.com

Print at 100% (Actual size) with headers and footers turned off.

/laser-printer-streaks/ · US Letter



Scale check

Measure both rulers. If they read 100 mm and 4 in, the page printed at true size. Each corner cross should sit 10 mm from both edges. A missing cross means cropping.







Color laser repeat-defect set, page 4 of 4

printertestpagelab.com

Print at 100% (Actual size) with headers and footers turned off.

/laser-printer-streaks/ · US Letter



Scale check

Measure both rulers. If they read 100 mm and 4 in, the page printed at true size. Each corner cross should sit 10 mm from both edges. A missing cross means cropping.

